




UMTCC 8
Stelios Grafakos




# Climate change action planning process and its key components





Climate Change Planning Cycle




Assessment

# Adaptation assessment challenges and characteristics

Uncertainty

Co-Benefits

- Inclusion
  - Equity






# Decision Support and Assessment Tools for Climate Change

- Cost Benefit Analysis (CBA)
- Cost Effectiveness Analysis (CEA)
- Multiple Criteria Analysis (MCA)





# Structural elements of MCA

- Multiple Alternatives (at least two)
- Multiple and often conflicting- Criteria
- Policy makers or multiple stakeholders -




# MCA: Climate related issues

- NAPAs and NAMAs
- TNAs
- Adaptation benefits
- Assessment of climate abatement technologies



#### This is the Framework



#### **Objectives & decision-making**

OBJECTIVES	Indicator	Action 1	Action 2	Action 3			
ENVIRONMENT		• Drodictivo					
ECONOMIC	<ul><li>Establishes</li><li>Ask: What</li><li>Separates</li><li>issues fron</li></ul>	issues fron					
SOCIAL							


### What is Multiple Criteria Analysis?

Aids the assessment of different policies, measures, or options

Uses a set of evaluation criteria


Integrates the perspectives of different stakeholders

# MCA Case Study





# MCA Main Steps



#### MCA: Identification of Actions




Flood wall

Flood wall with green area

Green
area (for
water
retention
)


## MCA Main Steps



#### MCA: Define Criteria and Indicators

Criteria	Indicators	Flood wall	Flood wall with green area	Green area
Cost	Total cost (million \$)			
Effectiveness	Risk reduction (/+++)			
Flexibility	Level of adaptivenes s (1-5)			
Co-benefits	Green public space (km2)			
Implementat ion	Ease of implementa tion (/+++)			


# MCA Main Steps



# MCA: Scoring

Criteria	Indicators	Flood wall	Flood walf with green area	Geen area
Cost	Total cost (million \$)	40	25	20
Effectiveness	Risk reduction (/+++)	+++	++	c*5 <sup>+</sup>
Flexibility	Level of adaptiveness (1-5)	2	++ 7,5	4
co-benefits	Green public space (km2)	Score	7,5	10
Implementat ion	Ease of implementati on (/+++)	-		

## MCA Main Steps




# MCA: Scoring

Criteria	Indicators	Flood wall	Flood wall with green area	Green area
Cost	Total cost (million \$)	40	25	20
Effectiveness	Risk reduction (/+++)	+++	++	+
Flexibility	Level of adaptivenes s (1-5)	2	3	4
Co-benefits	Green public space (km2)	1	7,5	10
Implementat ion	Ease of implementat ion (/+++)	-		

#### MCA: Normalise scores

Criteria	Indicators	Flood wall	Flood wall with green area	Green area
Cost	Total cost (million \$)	40	25	20




Criteria	Indicators		Flood wall with green area	Green area
Cost	Total cost (million \$)	0	0,75	1

### **Normalised Scores**

Criteria	Flood wall	Flood wall with green area	Green area
Cost	0	0.75	1
Effectiveness	1	0.67	0.33
Flexibility	0	0.5	1
Co-benefits	0	1	0.5
Implementat	0.67	0.33	0



## MCA Main Steps



#### Methods for Evaluation Criteria Weighting

**Pairwise comparisons** 

Assigning 100 points among the criteria (direct)



# MCA: Weighting of Evaluation Criteria

Rank	Criteria	Weight
1	Cost	0.36
	Effectiveness	0.36
2	Implementation	0.16
3	Flexibility	0.06
	Co-benefits	0.06



1.00

#### Weighted Summation

Weight of the criterion






Weighted Sum

Normalized Score


# MCA Main Steps



# MCA: Ranking of Actions

Criteria	Green Area				
	Weight of the criterion	Normalized score	Weigh of the criterion x Normalized Score		
Cost	0.36	1	0.36		
Effectiveness	0.36	0.33	0.12		
Implementati on	0.16	0	0		
Flexibility	0.06	1	0.06		
Co-benefits	0.06	0.5	0.03		
		Weighted Sum	0.57		

# Ranking of Actions



# Weighting of criteria

 How more important is x criterion than the y criterion? (pairwise)

 Assign 100 points to criteria based on their relative importance (direct)



# Dealing with uncertainty

- Different type of uncertainties
- Sensitivity analysis
- Scenario analysis
- Adaptive Management

# **Opportunities**

- Allows multiple perspectives – views
- Incorporates different measurement scales
- Provides transparency and structure
- Triggers discussion between stakeholders
- Knowledge generation




# Challenges

- High degree of subjectivity
- Difficult to reach consensus on weights of criteria
- Risk of double counting



#### Choice?




#### Comparison of Tools Requirements

Tools	Technical Capacity	Data Needs	Time	Cost \$	Participant Requirements
СВА	++++	++++	++++	++++	++
CEA	++++	++++	++++	++++	+
MCA	++++	+++	++++	++++	+++

Source: UN-HABITAT

```
+= Low Requirements; ++= Medium Requirements
+++= High Requirements; ++++= Very High Requirements
```





## CITIES AND CLIMATE CHANGE INITIATIVE **TOOL SERIES**

# PLANNING FOR **CLIMATE CHANGE**

A STRATEGIC, VALUES-BASED APPROACH FOR URBAN PLANNERS






HANDBOOK FOR CONDUCTING

# Technology Needs Assessment











# leadership is essential to catalysing action.

Develop a communications plan

Cities should have a coordinated strategy to engage with the target audience. A good communication plan includes outreach and participation processes during the planning stage, the release of the plan as well as the subsequent implementation of the plan.

Climate action planning needs strong leadership to succeed. In many cities a strong endorsement from the mayor and senior

Secure multi-stakeholder, cross-sectoral support

Effective planning requires a comprehensive and integrated cross-sectoral approach with actors working across administrative boundaries. Some cities may find support from key private sector and non-governmental stakeholders can be vital.

#### Mitigation

### Develop citywide greenhouse gas inventories

Greenhouse gas inventories determine baseline emissions, and identify key emission sources and reduction opportunities. While complying with local requirements, in order to ensure international compatibility chies are encouraged to use an international reporting methodology based on the Greenhouse Gas Protocol standards, e.g., the Global Protocol for Community-Scale Greenhouse Gas Emission Inventories, particularly for cities that wish to comply with the Compact of Mayors.

### Conduct scenario analysis

Chies conduct scenario analysis to identify possible future emission trends based on di-flerent socio-economic growth and dimute mitigation assumptions or scenarios. The analysis results serve the basis for target setting and identifying actions.

### Assess the local capacity to reduce emissions

Cities assess their capacity to take action and consider how to leverage other existing policies, plans, and actions such as those related to energy, environment, and urban management. This may include policies and programmes that are complimentary to mitigation efforts despite being focused on other issues.

### Set greenhouse gas emission reduction goals

Based on the scenario analysis and capacity assessment results, cities sets their shorts, mediums, and long-serm chywide emission reduction goals, and secure political commitment to the goals. Cities are encouraged to refer to the Greenhouse Gas Protocol Mitigation Goal Standard when designing their goals in order to ansure International compatibility.

### Adaptation

#### Conduct a climate change vulnerability assessment

Cities conduct vulnerability assessments to identify current and future risks/impacts to people, community assets, and community functions. A comprehensive vulnerability assessments address physical, environmental, economic, social vulnerability, and focus on those most vulnerable to impacts.

### Conduct scenario analysis

Scenario analysis identifies risk levels based on different scenarios of climate impacts, which will inform options to adapt to the potential climate impacts.

### Assess the local capacity to address climate impacts

Cities assess their local capacity to adapt to the climate change impacts. The analysis begins with an inventory of existing community policies, programmes, assets, capacities, and wisdom. This may include policies and programmes that are complimentary to adaptation efforts despite being focused on other issues.

### Set adaptation goals

Based on the scenario analysis and capacity assessment results, cities set their short, medium, and long-term adaptation goals, and secure political commitment to them. The goals should comprehensively cover the physical, environmental, economic, and social impacts of climate change.

### Identify and prioritize actions

Effective plans identify comprehensive and integrated actions spanning multiple sectors of urban development and involve action at multiple different scales. Actions are prioritized based on a transparent multi-orderia assessment in coordination with other city planning efforts and institutionalized within all municipal processes and functions.

### Develop a plan for implementation


Action plans should include sufficient detail and clearly assign responsibilities so that they are actionable and can be implemented by the appropriate agencies and organizations to achieve the desired goals. Monitoring, Reporting, Evaluating, Updating, and Continuality improving



Durban's Municipal Climate Protection Programme:

# CLIMATE CHANGE ADAPTATION PLANNING

# FOR A RESILIENT CITY



Impact on risk	The level of climate change risk that the intervention will reduce.
Ancillary Benefits	How beneficial is it to undertake this intervention regardless of climate change impacts, as the intervention promotes sustainable development.
Reversible or Flexible	Climate change science is not perfect and hence interventions that can be reversed or adjusted based on the latest science are better than those that cannot.
Impact on emissions	How does the intervention affect the amount of greenhouse gases in the atmosphere?
Allows complementary options	Are there complementary options in association with the intervention? Does the intervention reduce, retain or enhance the set of options available for responding to climate change.
Ease of implementation	Indicates the likelihood of the intervention being successfully implemented.
Institutional complexity	This criterion also indicates the likelihood of the intervention being implemented. If the intervention requires complex municipal processes and procedures and many departments working together, its likelihood of success is lessened.
Cost: benefit	A broad judgement of whether the intervention has 'high cost: low benefit' or 'high benefit: low cost.'
Risk of 'maladaptation'	Ill-considered implementation of an intervention is considered 'maladaptation' as it may have unintended adverse impacts.

# Table 4 Multi-Criteria Assessment of the Adaptation Plan Interventions\*

Disaster Management function and unit responsibilities -

refer to hosting a successful FIFA 2010 World Cup™ and

managing climate change risk.

Management

																_	
of	Adaptation Category	Sub-category	Impact	Intervention	Impact on risk 3 = Risk reduced 2 = None 1 = Risk Increased	Ancillary benefits 3 = Yes 2 = No	Reversible/ Flaxible? 3 = Yes 2 = Neutral 1 = No	Impact on emissions 3 = Reduced 2 = None 1 = Increased	Allows complementary interventions 3 = Yes 2 = Neutral 1 = No	Ease of implementation 3 = Easy 2 = Neutral 1 = Difficult	institution al complexity 3 = Simple 2 = Neutral 1 = Complex	Cost: Benefit 3 = Low costhigh benefit 2 = Neutral 1 = High costlow benefit	Risk of maladaptation 3 = Low 2 = Medium 1 = High	Merit (sum of criteria)	Urgency 1 = Medium 2 = High 3 = Very High	Priority (Merit x Urgency)	H=>45 M=22-45 L=<22
1	Water	Infrastructure Protection (New)	Flooding	Detailed analysis of latest rainfall/run-off projections and modelling of systems to be finalised.	2	3	3	2	3	3	3	3	3	25	3	75	н
2	Water	Infrastructure Protection (New)	Flooding	Revise rainfall data in line with latest projections (as of 30 September 2009) and review every 5 years.	2	3	3	2	3	3	з	3	3	25	3	75	н
9	Water	Infrastructure Protection (Existing)	Flooding	Protect and restore riparian vegetation so as to protect integrity of river banks and retain biological buffers against flooding.	3	3	3	3	3	2	2	3	3	25	3	75	н
5	Water	Infrastructure Protection (New)	Flooding	Develop Master Drainage Plans for all river catchments within eThekwini Municipal boundaries.	3	2	3	2	3	3	2	3	3	24	3	72	н
6	Water	Infrastructure Protection (New)	Sea Level Rise	Revise coastal set back lines.	3	3	3	2	m	3	1	3	m	24	3	72	н
•	Health	Disaster Management	All	Improve the ability of Health Care Systems to respond effectively during emergencies.	3	3	3	2	3	1	2	3	3	23	3	69	н
И2	Disaster	Disaster Management	All	Implement Disaster Risk Management Framework.	2	3	2	2	3	3	1	3	3	22	3	66	н
МЗ	Disaster	Disaster Management	All	Undertake a detailed assessment of all risks in Durban.	2	3	3	2	3	2	1	3	3	22	3	66	н
8	Water	Infrastructure Protection (New)	Sea Level Rise	Prepare Coastal Management Plans for entire Durban coastline.	3	3	3	2	3	1	1	3	2	21	3	63	н
17	Water	Water Security	Water Availability	Incorporate requirement that Umgeni Water consider the impact of climate change on rainfall and run-off into eThekwini Municipality's water purchase agreement.	2	3	3	2	3	1	1	3	3	21	3	63	н
18	Water	Water Demand Management	Water Availability	Develop an overarching Water Use Strategy which captures existing interventions being undertaken within the Municipality, identifies additional interventions, creates clear priorities and an implementation plan for responding to the challenges of a current water shortage impacted on by climate change and its further impact on water security.	3	3	2	2	3	2	1	3	2	21	3	63	н
М1	Disaster	Disaster Management	All	Secure additional resources for Disaster Management Unit.	3	3	2	2	2	1	2	1	3	19	3	57	н
	Disaster	Disaster Management	All	Revise Contingency Plans for key risk areas.	3	3	2	2	2	1	1	3	2	19	3	57	н
М5	Disaster	Disaster Management	All	Disaster Management Summit - to raise awareness of	3	3		,					,		_		

3













**CLIMATE CHANGE** ADAPTATION STRATEGY

Table 1: Adaptation action evaluation criteria

Category	Criteria	1 (low)	2 (medium)	3 (high)
	Mitigation co-benefits	Result in increased GHG emissions	Would not affect GHG emissions	Would reduce greenhouse gas emissions
Sustainability	Equity	Benefits to few people	Benefits to many people	Significant benefits to many people
	Implemen- tation Cost	Cost is high relative to cost of inaction	Cost is moderate relative to cost of inaction	Cost is low relative to cost of inaction
Effectiveness	Robustness	Effective for a narrow range of plausible future scenarios	Effective across many plausible future scenarios	Effective across a wide range of plausible future scenarios
Risk and Uncertainty	Urgency	Risks are likely to occur in the longer term	Impacts are likely in the near to mid term	Impacts are already occurring
	Ancillary benefits	Will contribute little if not at all to other City goals and programs	Will contribute somewhat to other City goals and programs	Will contribute significantly to other City goals and programs
Opportunity	No Regret	Will have little or no benefit if climate change impacts do not occur	Will have some benefits regardless of actual climate change impacts	Will result in sig- nificant benefits regardless of actual climate change impacts
	Window of Opportunity	There is no window currently	A window of opportunity could be created	A window of opportunity exists to implement
	Funding Sources	External funding sources are required but have not been identified	External funding sources are required and likely to be secured	Funding is available externally or internally
Implementation	Institutional	Implementation requires coordi-	Implementation requires external	Implementation is within local



# Climate Actions Prioritisation Tool CLIMACT Prio

























START

















Institute for Housing and Urban Development Studies (IHS)



# Participatory integrated assessment of flood protection measures for climate adaptation in Dhaka

ANIKA NASRA HAQUE, STELIOS GRAKAKOS AND MARIJK HUIJSMAN

Anika Nasra Hague is an architect and climate change expert by training and at present is a Lecturer in Environmental Planning and Urban Design at the School of Architecture. American International University – Bangladesh. She is associated with climate adaptation projects for the least developed countries as an independent consultant and her work focuses particularly on urban adaptation to climate change.

Address: Department of Architecture, Campus -7, American International University - Bangladesh, House 23, Road 17, Kemal Ataturk Avenue, Banani, Dhaka 1213, Bangladesh; e-mail: anikanasra@gmail. com

Stelios Grafakos is an environmental economist currently working at the Institute for Housing and Urban Development Studies (IHS), Erasmus University Rotterdam, the Netherlands. He lectures. researches and is a scientific advisor in the field of climate mitigation and adaptation policy analysis and assessment, the integrated evaluation of energy systems, and environmental economics

ABSTRACT Dhaka is one of the largest megacities in the world and its population is growing rapidly. Due to its location on a deltaic plain, the city is extremely prone to detrimental flooding, and risks associated with this are expected to increase further in the coming years due to global climate change impacts as well as the high rate of urbanization the city is facing. The lowest-lying part of Dhaka, namely Dhaka East, is facing the most severe risk of flooding. Traditionally, excess water in this part of the city was efficiently stored in water ponds and gradually drained into rivers through connected canals. However, the alarming increase in Dhaka's population is causing encroachment of these water retention areas because of land scarcity. The city's natural drainage is not functioning well and the area is still not protected from flooding, which causes major threats to its inhabitants. This situation increases the urgency to adapt effectively to current flooding caused by climate variability and also to the impacts of future climate change. Although the government is planning several adaptive measures to protect the area from floods, a systematic framework to analyze and assess them is lacking. The objective of this paper is to develop an integrated framework for the assessment and prioritization of various (current and potential) adaptation measures aimed at protecting vulnerable areas from flooding. The study identifies, analyzes, assesses and prioritizes adaptive initiatives and measures to address flood risks in the eastern fringe area, and the adaptation assessment is conducted within the framework of multi-criteria analysis (MCA) methodology. MCA facilitates the participation of stakeholders and hence allows normative judgements, while incorporating technical expertise in the adaptation assessment. Based on the assessment, adaptive measures are prioritized to indicate which actions should be implemented first. Such a participatory integrated assessment of adaptation options is currently lacking in the decision-making process in the city of Dhaka and could greatly help reach informed and structured decisions in the development of adaptation strategies for flood protection.

**KEYWORDS** assessment / climate adaptation / Dhaka / flood protection / multicriteria analysis / options prioritization

### I. INTRODUCTION

There is a global inequality between those cities causing climate change and those that are at high risk from its effects but hardly contribute to

# What is MCA?

"It is a transparent process which seeks to take explicit into account multiple criteria in helping individuals or groups to evaluate different actions and explore decision problems that matters"





# **Thank You**

# **Sources & Literature**


- United Nations Framework Convention on Climate Change (UNFCCC) (2002), A
  Guide to the Climate Change Convention and its Kyoto Protocol.
- UNFCCC (2012), Assessing the costs and benefits of adaptation options: An overview of approaches,
   <a href="http://unfccc.int/files/adaptation/nairobi\_work\_programme/knowledge\_resources\_and\_publications/application/pdf/2011\_nwp\_costs\_benefits\_adaptation.pdf">http://unfccc.int/files/adaptation/nairobi\_work\_programme/knowledge\_resources\_and\_publications/application/pdf/2011\_nwp\_costs\_benefits\_adaptation.pdf</a>
- Haque, A., Grafakos, S., and Huijsman, M., (2011), Assessment of adaptation measures against flooding in the city of Dhaka, Bangladesh, Environment and Urbanization Vol. 24 (1),1:17
- Grafakos, S. and Olivotto, V., (2012), Choosing the right adaptation assessment method, ICLEI resilient cities congress, <a href="http://resilient-cities.iclei.org/fileadmin/sites/resilient-cities/files/Resilient\_Cities\_2012/Program\_Updates/Grafakos\_and\_Olivotto.pdf">http://resilient-cities.iclei.org/fileadmin/sites/resilient-cities\_2012/Program\_Updates/Grafakos\_and\_Olivotto.pdf</a>
- ECA (2011), Shaping climate resilient development,
   <a href="http://www.clintonglobalinitiative.org/media/Shaping\_Climate\_Resilent\_Development.">http://www.clintonglobalinitiative.org/media/Shaping\_Climate\_Resilent\_Development.</a>
   <a href="pdf">pdf</a>
- Siemens, (2010), Sustainable urban infrastructure: A London edition a view to 2025
- Siemens, (2007), Sustainable Urban Infrastructure,
   <a href="http://www.siemens.com/responsibility/pool/stakeholder/sustainable\_cities\_nur\_e.pdf">http://www.siemens.com/responsibility/pool/stakeholder/sustainable\_cities\_nur\_e.pdf</a>

# Additional sources

- www.mca4climate.info : Multi-Criteria Analysis for climate change: developing guidance for sound climate policy planning (UNEP)
- <a href="http://unfccc.int/ttclear/pdf/TNA%20HB%20version%2028May2010.pdf">http://unfccc.int/ttclear/pdf/TNA%20HB%20version%2028May2010.pdf</a>: Technology needs assessment for climate change
- Yahaya, Sani, Ahmad, Noordin. and Abdalla, Rania Fadlallah (2009), "Multi criteria analysis for flood vulnerable areas in Hadejia- Jama' Are river basin, Nigeria", European Journal of Scientific Research, Vol 42, No. 1, pages 71-83.
- Grafakos, S., Flamos, A., Oikonomou V., Zevgolis, D. (2010). Multi Criteria Analysis weighting methodology to incorporate stakeholders' preferences in energy and climate policy interactions, *International Journal of Energy Sector Management*, Vol. 4 No. 3, pp. 434-461
- Ensenado, E., M., and Grafakos, S., (in press). Multiple Criteria Analysis in Low-Carbon Urban Development: A Review of Applications from Low and Middle Income Countries. Edited van Rooijen, K. Edelenbos, J. and van Dijk, M.P. Forthcoming in Unfolding City Governance in Complex Environments Book Chapter. Publisher: Practical Action
- Cinelli, M., Coles, S. R., and Kirwan, K., (2014), Analysis of the potentials of multi criteria decision analysis methods to conduct sustainability assessment, Ecological Indicators, 46, 138–148, doi:10.1016/j.ecolind.2014.06.011
- Munaretto, S., Siciliano, G., Turvani, M.E., (2014), Integrating adaptive governance and participatory multicriteria methods: a framework for climate adaptation governance. Ecology and Society, doi: 10.5751/ES-06381-190274
- Kubal, C., Haase, D., Meyer, V. and Scheuer S. (2009), "Integrated urban flood risk assessment adapting a multicriteria approach to a city", *Natural Hazards and Earth System Sciences*, Vol 9, November, pages 1881-189



# CLIMACT Prio: a decision support tool for CLIMate ACTions Prioritization



UMTCC 5, 17<sup>th</sup> of June 2014, Stelios Grafakos,



# Climate Actions Prioritisation Tool CLIMACT Prio

























START


















Institute for Housing and Urban Development Studies (IHS)



# Prioritization or

# "From wish list...to short list"




# Relevant for

Planning for Climate
 Change – (UN Habitat)

 Technology Needs Assessments (UNDP)

MCA 4 climate (UNEP)








# What?

- Prioritization Decision Support Tool
- Process oriented
- Integrated
- Participatory
- Discussion learning tool
- Excel based




# Who?

- -Municipalities,
- Urban planners and managers,
- Donor agencies
- Local communities




# Where? Applications


- Research and advisory (e.g.study in Dhaka)
- Capacity building and Training of professionals in Climate Change (e.g. UMTCC, IUTC – UN Habitat, IDB)
- Education Masters course, postgraduate courses



# **CLIMACT Prio: Objectives**


- Support decisions
- Enhance Stakeholders' engagement
- Facilitate Learning and Stimulate Knowledge generation
- Data gathering
- Perform a Multi Criteria Assessment (MCA)





# **CLIMACT Prio: Steps**

- Identify CC related sectors
- 2) Identify actions
- Define evaluation criteria
- 4) Score of actions
- 5) Weight of criteria
- 6) Obtain results
- 7) Sensitivity Analysis





## Participatory integrated assessment of flood protection measures for climate adaptation in Dhaka

ANIKA NASRA HAQUE, STELIOS GRAKAKOS AND MARIJK HUIJSMAN

Anika Nasra Hague is an architect and climate change expert by training and at present is a Lecturer in Environmental Planning and Urban Design at the School of Architecture. American International University – Bangladesh. She is associated with climate adaptation projects for the least developed countries as an independent consultant and her work focuses particularly on urban adaptation to climate change.

Address: Department of Architecture, Campus -7, American International University - Bangladesh, House 23, Road 17, Kemal Ataturk Avenue, Banani, Dhaka 1213, Bangladesh; e-mail: anikanasra@gmail. com

Stelios Grafakos is an environmental economist currently working at the Institute for Housing and Urban Development Studies (IHS), Erasmus University Rotterdam, the Netherlands. He lectures. researches and is a scientific advisor in the field of climate mitigation and adaptation policy analysis and assessment, the integrated evaluation of energy systems, and environmental economics

ABSTRACT Dhaka is one of the largest megacities in the world and its population is growing rapidly. Due to its location on a deltaic plain, the city is extremely prone to detrimental flooding, and risks associated with this are expected to increase further in the coming years due to global climate change impacts as well as the high rate of urbanization the city is facing. The lowest-lying part of Dhaka, namely Dhaka East, is facing the most severe risk of flooding. Traditionally, excess water in this part of the city was efficiently stored in water ponds and gradually drained into rivers through connected canals. However, the alarming increase in Dhaka's population is causing encroachment of these water retention areas because of land scarcity. The city's natural drainage is not functioning well and the area is still not protected from flooding, which causes major threats to its inhabitants. This situation increases the urgency to adapt effectively to current flooding caused by climate variability and also to the impacts of future climate change. Although the government is planning several adaptive measures to protect the area from floods, a systematic framework to analyze and assess them is lacking. The objective of this paper is to develop an integrated framework for the assessment and prioritization of various (current and potential) adaptation measures aimed at protecting vulnerable areas from flooding. The study identifies, analyzes, assesses and prioritizes adaptive initiatives and measures to address flood risks in the eastern fringe area, and the adaptation assessment is conducted within the framework of multi-criteria analysis (MCA) methodology. MCA facilitates the participation of stakeholders and hence allows normative judgements, while incorporating technical expertise in the adaptation assessment. Based on the assessment, adaptive measures are prioritized to indicate which actions should be implemented first. Such a participatory integrated assessment of adaptation options is currently lacking in the decision-making process in the city of Dhaka and could greatly help reach informed and structured decisions in the development of adaptation strategies for flood protection.

**KEYWORDS** assessment / climate adaptation / Dhaka / flood protection / multicriteria analysis / options prioritization

### I. INTRODUCTION

There is a global inequality between those cities causing climate change and those that are at high risk from its effects but hardly contribute to

# **STEP 1: Vulnerability**

Identify the sectors with high Vulnerability

Go to the next step

nt	ro	a d	ш	C1	т	n	n
ш	ıv	u	u	ы	u	v	ш

Step1: Vulnerability

Step 2: Actions

Step 3: Criteria


Step 4: Scores

Step 5: Weights

Step 6: Results

Step 7: Sensitivity

			Vulnerability
	Sectors	Category	
			Index
1	Water quality	Environmental	66%
2	Infrastructure	Physical	61%
3	Trade	Economic	56%
4	Housing	Social	56%
5	Agriculture	Economic	47%
6	Flora and Fauna	Environmental	42%



# **STEP 2: Adaptation Actions**

- 1) Specify actions, their type and sector
- 2) Provide time frame, brief description and source

Go to the next step (Criteria)

Introduction	
Step1: Vulnerability	
Step 2: Actions	
Step 3: Criteria	
Step 4: Scores	
Step 5: Weights	
Step 6: Results	
Step 7: Sensitivity	

No	Adaptation actions	Туре	Focus	Time frame	Description	Source
	Construction, retrofitting of	structural	Infrastructure	Long term		
l ,						
<u> </u>	drainage system	-t	Tueses	Madiona kama		
2	Raised road	structural	Transport	Medium term		
	Embankment	structural	Flood	Medium term		
3			management			
	Flood wall	structural	Flood	Medium term		
4			management			
	Protection of water	non-structural	Water	Short term		
5	retention areas		management			
H		non-structural	Water	Medium term		
6	Canal Improvement	non structura	management	ricalam cemi		
<del>-</del>		non-structural	Disaster	Short term		
<u> </u>	Enhancing emergency	non-structural	Disaster	Short term		
	Upgrading early warning	non structurar	Disastei	Short term		
8	system		management			
<u> </u>						<b></b> /

# STEP 3: CRITERIA identification

Task 2

Task 3

Task 4

1. Define evaluation criteria

Task 1

- Specify their respective category
- 3. Speciy the unit of measurement
- 4. Specify the direction of preference (Min/Max)

Next Step (Scores)

Introduction
Step1: Vulnerability
Step 2: Actions
Step 3: Criteria
Step 4: Scores
Step 5: Weights
Step 6: Results
Step 7: Sensitivity

	Criteria	Category of Criteria	Units	Min/Max
1	Vulnerability	Climate	%	Max
	reduction			
2	Cost	Economic	euros	Min
3	Institutional and	Feasibility	"1 - 5"	k dia-
	technical capacity		1-5	Min
4	Public and political	Social	"1 - 5"	Max
	acceptance		1-3	IVIOX
5	Achievement of MDG	Social	"1 - 5"	Max
6	Employment	Economic	"1 - 5"	Max
	generation			max
7	Enhancement of	Environmental	"1 E"	hday
	ecological condition		- 5	IVIOX
7	Enhancement of	Environmental	"1 - 5"	Ma

# STEP 4: SCORING - Impact Assessment Matrix


Indicate the scores for each alternative on every criterion

Next Step (Normalized Scores)


	Options/Criteria	Vulnerability	Cost	Institutional	Public and	Achievement	Employment	Enhancement	
				and technical	political			of ecological	
		reduction		capacity	acceptance	of MDG	generation	condition	
	Scale units	%	euros	"1 - 5"	"1 - 5"	"1 - 5"	"1 - 5"	"1 - 5"	
Introduction	Construction, retrofitting of								
	drainage system	79	64	5	4	4	4	3	
Step1: Vulnerability	Raised road	64	4	4	4	3	3	2	
	Embankment	69	20	4	4	3	4	2	
Step 2: Actions	Flood wall	61	6	3	1	3	3	2	
	Protection of water								
Step 3: Criteria	retention areas	74	1	3	2	4	4	5	
	Canal Improvement	71	14	4	2	4	3	4	
Step 4: Scores	Enhancing emergency								
Step 5: Weights	response mechanism	63	1	2	4	4	2	2	
atep of freights	Upgrading early warning	81	2	4	4	5	2	3	
Step 6: Results									
Step 7: Sensitivity									
step /: sensitivity									

Step 7: Sensitivity

## Construction, retrofitting of drainage system




### Raised road




#### Embankment Vulneability reduction 1,0,0 Enhancement of Cost ecological condition 0,5 Employment. Institutional and generation technical capacity Achievement blic and political MOS accoptance


### Flood wall




## Protection of water retention



### Canal Improvement




## Enhancing emergency response



sccob reucci

## Upgrading early warning system



80000 (Build

Hazt Stap (Waighter)

## **STEP 5: Criteria WEIGHTING**

Introduction Step1: Vulnerability Step 2: Actions

Step 3: Criteria

Step 4: Scores

Step 5: Weights

Step 6: Results

Step 7: Sensitivity


- 1. Indicate the level of importance of criteria verbally from "very low" to "very high"
- 2. Assign a value denoting relative importance of criteria

Task 1	Task 2

			Task 1	Task 2		
Category of Criteria	Criteria	Rank	Importance	Values	Weights	Degree of Convergence
Climate	Vulnerability reduction	1	Very High	100	22,7%	Very High
Economic	Cost	2	Moderate	80	18,2%	Very High
Feasibility	Institutional and technical capacity	4	High	60	13,6%	Very High
Social	Public and political acceptance	4	Moderate	60	13,6%	Very High
Social	Achievement of MDG	7	Moderate	30	6,8%	Very High
Economic	Employment generation	6	Low	40	9,1%	Very High
Environmental	Enhancement of ecological condition	3	Low	70	15,9%	Very High

Go to the next step (Weighted Scores)





# STEP 6: RESULTS - Ranking

1. Press the button 'SORT Alternatives' for ranking alternatives according to assigned weights and 'Normalized Scores'

GO to the NEXT STEP

	od		

Step1: Vulnerability

Step 2: Actions

Step 3: Criteria


Step 4: Scores

Step 5: Weights
Step 6: Results

Step 7: Sensitivity

Options	Score	Rank
Protection of water		
retention areas	0,79	1
Upgrading early warning		
system	0,77	2
Canal Improvement		
	0,55	3
Enhancing emergency		
response mechanism	0,51	4
Construction, retrofitting		
of drainage system	0,49	5
Embankment	0,48	6
Raised road	0,44	7
Flood wall	0,35	8


## Rank of Alternatives (equal weights)



SORT Alternatives

SORT Alternatives

# **Final Scores and Contribution of criteria**





# **Thank You**